GNSUNG

SILVER STAR®

50 ANNIVERSARY

Industrial Steam Iron



EUNSUNG

Global Standards for Industrial Steam Iron, Silverstar has Made

Silverstar has made standards for industrial iron.
Silverstar is brand of EUNSUNG.



HISTORY

1972 EUNSUNG ELECTRIC IND. Established as a Private Company
1978 Elcetric Heating Equipment Manufacture License Achieved
1978 Production of Industrial Steam Irons
1982 Opening of US Market to Export Industrial Steam Irons
1991 One Million-Dollar Export Achievement Prize Awarded by Korea International Trade Association
1993 Ceremony for Construction of Company Premises in Shinpyeong Industrial Complex of Rural Areas in Pocheon City
2000 CE-Mark Achieved for ES-200
2000 ISO9001 Approval No. KQC-0457
2000 Establishment of Jiaxing EUNSUNG ELECTRIC Co., Ltd. in China
2001 KSA9001 Approval. KSC9201 No. 01-2078
2001 Three Million-Dollar Export Achievement Prize, in Celebration of Trade Day. Awarded by President of Korea
2003 Establishment of China Plant 1 (Jiaxing EUNSUNG ELECTRIC Co., Ltd.)
2006 Selected as Promising Export Firm. ISO14000:2004 Approval
2007 Establishment of China Plant 2, 3 (Jiaxing EUNSUNG ELECTRIC Co., Ltd.)
2012 Acquirement of ISO9001: 2008 Certification (Jiaxing EUNSUNG ELECTRIC Co., Ltd.)
2012 CE-Mark Achieved for SR-5000, SR-8000, SR-5800, SR-5800L
2014 CE-Mark Achieved for ES-94A, ES-94AL, ES-300, 300L
2018 CE-Mark and RoHS Achieved for ESE-400M, ESD-7003, ESP-600M
2021 Acquirement of ISO9001: 2015 Certification (Jiaxing EUNSUNG ELECTRIC Co.,Ltd.)

Contents

Gravity Iron **04** All Steam Iron **10** Steam Electric Iron **14** Silver Steamer **18** Garment Machinary **20**

IRON

Gravity Iron
All Steam Iron
Steam Electric Iron




Gravity Iron

ES-85AF

> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> Special handle keep hands super cool
> Hard anodized aluminum base foe superior pressing

Voltage **120V/220V**
Wattage **1000W**
Product Weight **2.2Kgs**
Base **Hard Anodized Coating**






NEW

ES-85AT

> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> Special handle keep hands super cool
> Hard anodized aluminum base foe superior pressing
> Lots of steam for easy ironing

Voltage **120V/220V**
Wattage **1200W**
Product Weight **2.2Kgs**
Base **Hard Anodized Coating**






NEW

ES-85ATL

> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> Special handle keep hands super cool
> Hard anodized aluminum base foe superior pressing
> Lots of steam for easy ironing

Voltage **120V/220V**
Wattage **1300W**
Product Weight **2.4Kgs**
Base **Hard Anodized Coating**






NEW

ES-85AZ

> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> Special handle keep hands super cool
> Hard anodized aluminum base foe superior pressing
> Simple and modern design

Voltage **120V/220V**
Wattage **1200W**
Product Weight **2.2Kgs**
Base **Hard Anodized Coating**






Gravity Iron



ES-90A

Voltage **120V/220V**
Wattage **1000W**
Product Weight **2.2Kgs**
Base **Hard Anodized Coating**




> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> A comfortable & durable handle
> An impact-resistant hand protector, preventing the conduction of increased heat



ES-94A

Voltage **120V/220V**
Wattage **1000W/1200W**
Product Weight **2.0Kgs**
Base **Hard Anodized Coating**




> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> More comfortable urethane bhandle
> A soft-touch-styled button switch of superb convenience
> Sharper body design & modern black color
> Improved steam quality



ES-94AL

Voltage **120V/220V**
Wattage **1300W**
Product Weight **2.5Kgs**
Base **Hard Anodized Coating**




> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> More comfortable urethane bhandle
> A soft-touch-styled button switch of superb convenience
> Sharper body design & modern black color
> Improved steam quality



ES-97A


Voltage **120V/220V**
Wattage **1000W**
Product Weight **2.1Kgs**
Base **Hard Anodized Coating**



> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> A comfortable & durable handle
> A soft-touch-styled button switch of superb convenience
> A high-functional, heat-proofed hand protector
> A temperature indicator designed specially

ES-300

Voltage **120V/220V**
Wattage **1000W/1200W**
Product Weight **2.1Kgs**
Base **Hard Anodized Coating**



> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> More comfortable urethane bhandle
> A soft-touch-styled button switch of superb convenience
> Sharper body design & modern black color
> Improved steam quality



ES-300L


Voltage **120V/220V**
Wattage **1000W**
Product Weight **2.2Kgs**
Base **Hard Anodized Coating**

> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> More comfortable urethane bhandle
> A soft-touch-styled button switch of superb convenience
> Sharper body design & modern black color
> Improved steam quality



ES-100

Voltage **120V/220V**
Wattage **800W**
Product Weight **1.7Kgs**
Base **Hard Anodized Coating**



> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> More comfortable urethane bhandle
> A soft-touch-styled button switch of superb convenience
> Sharper body design & modern black color
> Improved steam quality




Gravity Iron



EZ5

Voltage **120V/220V**
Wattage **1000W**
Product Weightt **2.1Kgs**
Base **Hard Anodized Coating**




> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> More comfortable urethane bhandle
> A soft-touch-styled button switch of superb convenience
> Sharper body design & modern black color
> Improved steam quality



EZ90

Voltage **120V/220V**
Wattage **1200W**
Product Weightt **2.2Kgs**
Base **Hard Anodized Coating**




> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> A comfortable & durable handle
> An impact-resistant hand protector, preventing the conduction of increased heat



EZ300

Voltage **120V/220V**
Wattage **1200W**
Product Weightt **2.2Kgs**
Base **Hard Anodized Coating**



> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> A comfortable & durable handle
> An impact-resistant hand protector, preventing the conduction of increased heat

OPTION

SF-100

> Water-purifying filter for iron
> This water-purifying filter reservoir helps to extend the life of your iron by clarifying the water

Voltage **120V/220V**
Wattage **1000W/1200W**
Product Weightt **2.1Kgs**
Base **Hard Anodized Coating**




DEMINERALIZER

> This water purifier will always guarantee to remove dirt from water



TEFLON IRONING SHOE

> To prevent the shining mark on fabric.
> In addition TPFE shoes offer soft and good pressing.




All Steam Iron



BSP-600


Product Weight **1.6Kgs**
Steam Valve Type **Push Type**
Usage **Finishing**
Cover Existence **Inclusion**



> All stainless steel base
> Durable copper brazing welding base
> Soft urethane handle
> Up grade waste water valve
> Zipper style steam hose cover
> Superb function & refined design
> Long lasting steam valve

BSP-200

Product Weight **1.0Kgs**
Steam Valve Type **Push Type**
Usage **Under Pressing**
Cover Existence **None**




> All stainless steel base
> Durable copper brazing welding base
> Soft urethane handle
> Up grade waste water valve
> Zipper style steam hose cover
> Superb function & refined design
> Long lasting steam valve





BSS-600


Product Weight **1.6Kgs**
Steam Valve Type **Swing Type**
Usage **Finishing**
Cover Existence **Inclusion**



> All stainless steel base
> Durable copper brazing welding base
> Soft urethane handle
> Up grade waste water valve
> Zipper style steam hose cover
> Superb function & refined design
> Long lasting steam valve

BS-3PC

Product Weight **1.3Kgs**
Steam Valve Type **Push Type**
Usage **Under Pressing**
Cover Existence **Inclusion**



> All stainless steel base
> Durable copper brazing welding base
> Soft urethane handle
> Up grade waste water valve
> Zipper style steam hose cover
> Long lasting steam valve





BSP-300


Product Weight **1.3Kgs**
Steam Valve Type **Push Type**
Usage **Under Pressing**
Cover Existence **Inclusion**



> All stainless steel base
> Durable copper brazing welding base
> Soft urethane handle
> Up grade waste water valve
> Zipper style steam hose cover
> Superb function & refined design
> Long lasting steam valve

BS-6PC

Product Weight **1.6Kgs**
Steam Valve Type **Push Type**
Usage **Finishing**
Cover Existence **Inclusion**



> All stainless steel base
> Durable copper brazing welding base
> Soft urethane handle
> Up grade waste water valve
> Zipper style steam hose cover
> Long lasting steam valve




All Steam Iron



BS-8S

Product Weight **2.3Kgs**
Steam Valve Type **Swing Type**
Usage **Finishing**
Cover Existence **None**




> All stainless steel base
> Less hot wooden handle
> Up grade waste water valve
> Zipper style steam hose cover
> Superb function & refined design
> Long lasting steam valve



BS-8SC

Product Weight **2.3Kgs**
Steam Valve Type **Swing Type**
Usage **Finishing**
Cover Existence **Inclusion**




> All stainless steel base
> Less hot wooden handle
> Up grade waste water valve
> Zipper style steam hose cover
> Superb function & refined design
> Long lasting steam valve

OPTION

TEFLON IRONING SHOE

> To prevent the shining mark on fabric.
> In addition TPFE shoes offer soft and good pressing.



TEFLON HOSE

> You may choice irregular size united by feet.
> 2000 or more per a item, you may ask use special color & length for you.
> You may choice irregular size united by feet & meter (6, 7, 8 feet & 2, 2.5, 3, 4, 5 meter) (C, E Type)



STEAM HOSE COVER

> Zipper type hose cover.
> Protect the body from the heat of the steam hose.
> Prevent damage to the steam hose.



IRON DRAIN TRAP

> Automatically drains water from iron.
> Nipple type : C, E Type




Steam Electric Iron



ES-3200N

Voltage **120V/220V**
Wattage **1300W**
Product Weight **2.5Kgs**
Base **Hard Anodized Coating**




> Powerful and dry steam
> High-quality pressing (It is more suitable for thin fabric like silk)
> Long lasting steam valve
> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> Easy maintenance
> Heat-protection hose & fitting



ES-35T NEW

Voltage **120V/220V**
Wattage **1100W**
Product Weight **2.7Kgs**
Base **Hard Anodized Coating**




> Powerful and dry steam
> High-quality pressing (It is more suitable for thin fabric like silk)
> Long lasting steam valve
> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> Easy maintenance
> Heat-protection hose & fitting
> It's a durable base with good steam quality

ES-3300P

> Powerful and dry steam
> Push steam valve type
> Long lasting steam valve
> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> More comfortable urethane bhandle
> Sharper body design

Voltage **120V/220V**
Wattage **1300W**
Product Weight **2.4Kgs**
Base **Hard Anodized Coating**






ES-3300M

> A specially treated heat-resistant hand protector, proventing completely the conduction of heat to the hand
> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> More comfortable urethane bhandle
> Sharper body design

Voltage **120V/220V**
Wattage **1300W**
Product Weight **2.3Kgs**
Base **Hard Anodized Coating**






ES-1300M

> A specially treated heat-resistant hand protector, proventing completely the conduction of heat to the hand
> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> More comfortable urethane bhandle
> Sharper body design

Voltage **120V/220V**
Wattage **1300W**
Product Weight **1.5Kgs**
Base **Hard Anodized Coating**






Steam Electric Iron



SE-2000

Voltage **120V/220V**
Wattage **1000W**
Product Weight **1.6Kgs**
Base **Polishing**




> A specially treated heat-resistant hand protector, proventing completely the conduction of heat to the hand
> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> More comfortable urethane bhandle
> Sharper body design

OPTION

TEFLON IRONING SHOE


> To prevent the shining mark on fabric.
> In addition TPFE shoes offer soft and good pressing.





SE-2000N

Voltage **120V/220V**
Wattage **800W/1000W**
Product Weight **1.8Kgs**
Base **Polishing**



> A specially treated heat-resistant hand protector, proventing completely the conduction of heat to the hand
> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> More comfortable urethane bhandle
> Sharper body design

TEFLON HOSE

> You may choice irregular size united by feet.
> 2000 or more per a item, you may ask use special color & length for you.
> You may choice irregular size united by feet & meter (6, 7, 8 feet & 2, 2.5, 3, 4, 5 meter) (C, E Type)





SR-5

Voltage **120V/220V**
Product Weight **1.3Kgs**

> The SR-5 steam regulator controls the flow of steam betwin boiler & iron

STEAM HOSE COVER

> Zipper type hose cover.
> Protect the body from the heat of the steam hose.
> Prevent damage to the steam hose.



SILVER STEAMER

SR-5000
SR-8000



Silver Steamer



SR-5000

Voltage **120V/220V**
Wattage **Pre-Heat 200W, Steam 1350W**
Product Weight **6.7Kgs**
Product Size **410x260x320mm**

Steamer SR-5000, it can play an excellent function even under any kinds of operating conditions by its quick steam emission

> Energy economy & work efficiency
> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> The alarm system for water shortage



SR-8000

Voltage **120V/220V**
Wattage **Pre-Heat 200W, Steam 1350W**
Product Weight **6.4Kgs**
Product Size **430x285x340mm**


> Energy economy & work efficiency
> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> The alarm system for water shortage



Main Use
Department Stores / Retail Stores / Boutiques / Sample Rooms / Alteration Specialists(Tailors) / Garment Manufacturers / Dry Cleaners / Drapery Specialists

GARMENT MACHINARY

- *Steam Generator*
- *Electric Steam Boiler*
- *Vacuum Ironing Table*
- *Heat Transfer Machine*
- *Fusing Machine*



EUNSUNG

Steam Generator

SR-5800

> Possesses 4 level security system
> A notice LED for automatic water supply
> Water waste system
> Powerful and dry steam
> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> The plastic exterior

Voltage **120V/220V**
Wattage **Steam Generator 1300W/1500W**
Wattage **Iron 800W/1000W**
Product Weight **8.5Kgs**
Product Size **415x240x300mm**
Included **SE-2000N**



SR-5800L

> Possesses 4 level security system
> A notice LED for automatic water supply
> Water waste system
> Powerful and dry steam
> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> The plastic exterior

Voltage **120V/220V**
Wattage **Steam Generator 1500W**
Wattage **Iron 800W/1000W**
Product Weight **9.5Kgs**
Product Size **415x240x355mm**
Included **SE-2000N**



Steam Generator



SR-5800S

Voltage **120V/220V**
Wattage **Steam Generator 1300W/1500W**
Wattage **Iron 800W/1000W**
Product Weight **10.0Kgs**
Product Size **415x240x330mm**
Included **SE-2000N**

> Possesses 4 level security system
> A notice LED for automatic water supply
> Water waste system
> Powerful and dry steam
> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> The stainless steel exterior



SR-5800SL

Voltage **120V/220V**
Wattage **Steam Generator 1500W**
Wattage **Iron 800W/1000W**
Product Weight **11.0Kgs**
Product Size **415x240x390mm**
Included **SE-2000N**

> Possesses 4 level security system
> A notice LED for automatic water supply
> Water waste system
> Powerful and dry steam
> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)
> The stainless steel exterior



SR-6000

Voltage **120V/220V**
Wattage **Steam Generator 1500W**
Wattage **Iron 800W/1000W**
Product Weight **25.0Kgs**
Product Size **420x250x880mm**
Included **SE-2000N**

> Possesses 4 level security system
> Automatic water supply
> Water waste system
> Powerful and dry steam
> Internationally certified electric and electronic parts used (CE, VDE, cUL, CCC)

Electric Steam Boiler

ESB-8006
ESB-8009
ESB-8012

> Advanced technology, safety design, high performance quality
> Manufacture high-tech, best safety
> Attach the water tank
> Use high-performance, high-quality parts

Voltage **220V/380V**
Wattage **6/9/12KW**
Rated Steam Pressure **0.4MPa**
Rated Evaporation Value **9/13/17Kg/h**
Product Weight **58/59/59Kgs**
Product Size **480x550x1000mm**



ESB-6004
ESB-6005
ESB-6006
ESB-6008

> Advanced technology, safety design, high performance quality
> Manufacture high-tech, best safety
> Built-in water tank
> Use high-performance, high-quality parts

Voltage **220V/380V**
Wattage **4/5/6/8KW**
Rated Steam Pressure **0.3~0.5MPa**
Rated Evaporation Value **6/7.5/9/12Kg/h**
Product Weight **63Kgs**
Product Size **380x770x740mm**



Vacuum Ironing Table



ESV-100S

Voltage **120V/220V**
Vacuum Motor Power **750W**
Table Heater Power **1000W**
Work Table Height **760~900mm**
Work Table Size **1000x600mm**
Product Weight **80Kgs**
Product Size **1220x600x1600mm**

> Low noise strong suction wind
> Table use electric heat pipe drying ways
> Suction system
> Table height is adjustable
> The highest quality using the best accessories



ESV-100SL

Voltage **120V/220V**
Vacuum Motor Power **750W**
Table Heater Power **1000W**
Work Table Height **760~900mm**
Work Table Size **1200x650mm**
Product Weight **85Kgs**
Product Size **1420x650x1600mm**

> Low noise strong suction wind
> Table use electric heat pipe drying ways
> Suction system
> Table height is adjustable
> The highest quality using the best accessories

SIT-250

Voltage **120V/220V**
Table Heater Power **500W**
Table Fan Motor Power **120W**
Work Table Height **830mm**
Work Table Size **1150x380mm**
Product Weight **34Kgs**
Product Size **1400x380x830mm**

> Low noise strong suction wind
> Table use electric heat pipe drying ways
> Suction system
> Collapsible for easy storage



SIT-500

Voltage **120V/220V**
Vacuum Motor Power **550W**
Table Heater Power **1300W**
Buck Heater Power **350W**
Work Table Height **900mm**
Work Table Size **1180x400mm**
Product Weight **98Kgs**
Product Size **1450x540x1900mm**

> Low noise strong suction wind
> Table use electric heat pipe drying ways
> Suction system
> The highest quality using the best accessories



SIT-500(B)

Voltage **220V/380V**
Vacuum Motor Power **550W**
Table Heater Power **1300W**
Buck Heater Power **350W**
Boiler Power **4KW**
Boiler Pump Power **2.5KW**
Work Table Height **900mm**
Work Table Size **1180x400mm**
Product Weight **107Kgs**
Product Size **1450x540x1900mm**

> Low noise strong suction wind
> Table use electric heat pipe drying ways
> Suction system
> A boiler inside
> The highest quality using the best accessories



Heat Transfer Machine



ST-500

Voltage **120V/220V**
Wattage **1800W**
Product Weight **22Kgs**
Product Size **650x380x380mm**

> Pressure adjustment
> Aluminum plate
> Use high-performance, high-quality parts



ST-600

Voltage **120V/220V**
Wattage **2500W**
Product Weight **28Kgs**
Product Size **650x600x380mm**

> Pressure adjustment
> Aluminum plate
> Use high-performance, high-quality parts

Heat Transfer Machine/ Fusing Machine

ESH-150W
ESH-250W
ESH-380W
ESH-460W

> The machine is manually operated
> Pressure, temperature, time have scale display, convenient operation
> Aluminum heat plate, smooth surface to protect t-shit from ruining and easy to clean

Voltage **120V/220V/380V**
Wattage **800/1000/2500/3200W**
Pressure **0.57Mpa**
Product Weight **40/41/79/127Kgs**
Product Size
750x500x560/700x500x560mm
970x600x680/1350x600x680mm



ESF-200M

> Using automatic tuning device belt, double belt can be stop
> Belt automatic stop when it stray from the right path
> Four heating plate uniform distribution, up and down with the belt together, improve the effect of adhesion
> The highest quality using the best accessories

Voltage **220V/380V**
Heater Power **5.6KW**
Motor Power **50W**
Fusing Width **450mm**
Fusing Speed **8.5m/min(Max)**
Pressure **1.5Kg/(Max)**
Temperature **200(Max)**
Product Weight **198Kgs**
Product Size **1965x1073x490mm**



EUNSUNG

EUNSUNG
ELECTRIC. Co., Ltd.

HEAD OFFICE & FACTORY
104-5, SHINPYUNG-RI, SHINBUK-MYON, POCHUN-SI, KYUNGGI-DO, KOREA.
TEL. **82-31-531-8131** FAX. **82-31-531-8130**
E-Mail: **silverstar@silverstar.co.kr**

www.silverstar.co.kr